



```

62 `changelgtgrowthest4weeks` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci
DEFAULT NULL,
63 `sp500etf` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci DEFAULT NULL,
64 `earningsesp` decimal(16,2) DEFAULT NULL,
65 `q0consensusestlastcompletedfiscalqtr` decimal(16,2) DEFAULT NULL,
66 `ofanalystsinq0consensus` int DEFAULT NULL,
67 `q1consensusest` decimal(16,2) DEFAULT NULL,
68 `ofanalystsinq1consensus` int DEFAULT NULL,
69 `stdevq1q1consensus` decimal(16,2) DEFAULT NULL,
70 `q2consensusestnextfiscalqtr` decimal(16,2) DEFAULT NULL,
71 `ofanalystsinq2consensus` int DEFAULT NULL,
72 `stdevq2q2consensus` decimal(16,2) DEFAULT NULL,
73 `f0consensusest` decimal(16,2) DEFAULT NULL,
74 `ofanalystsinf0consensus` int DEFAULT NULL,
75 `f1consensusest` decimal(16,2) DEFAULT NULL,
76 `ofanalystsinf1consensus` int DEFAULT NULL,
77 `stdevf1f1consensus` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci DEFAULT
NULL,
78 `f2consensusest` decimal(16,2) DEFAULT NULL,
79 `ofanalystsinf2consensus` int DEFAULT NULL,
80 `5yrhistepsgrowth` decimal(16,2) DEFAULT NULL,
81 `longtermgrowthconsensusest` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci
DEFAULT NULL,
82 `changeepsflf2` decimal(16,2) DEFAULT NULL,
83 `lastyrsgrowthf0f1` decimal(16,2) DEFAULT NULL,
84 `thisyrsestdgrowthflf0` decimal(16,2) DEFAULT NULL,
85 `ratioofqlq0` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci DEFAULT NULL,
86 `ratioofqlprioryrqlactualq3` decimal(16,2) DEFAULT NULL,
87 `salesgrowthf0f1` decimal(16,2) DEFAULT NULL,
88 `5yrhistoricalsalesgrowth` decimal(16,2) DEFAULT NULL,
89 `flconsensusssalesestmil` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci
DEFAULT NULL,
90 `qlconsensusssalesestmil` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci
DEFAULT NULL,
91 `petrailing12months` decimal(16,2) DEFAULT NULL,
92 `pef2` decimal(16,2) DEFAULT NULL,
93 `pegratio` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci DEFAULT NULL,
94 `pricecashflow` decimal(16,2) DEFAULT NULL,
95 `pricebook` decimal(16,2) DEFAULT NULL,
96 `pricesales` decimal(16,2) DEFAULT NULL,
97 `currentroettm` decimal(16,2) DEFAULT NULL,
98 `currentroitm` decimal(16,2) DEFAULT NULL,
99 `roi5yragv` decimal(16,2) DEFAULT NULL,
100 `currentroattm` decimal(16,2) DEFAULT NULL,
101 `roa5yragv` decimal(16,2) DEFAULT NULL,
102 `marketvalueanalysts` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci DEFAULT
NULL,
103 `annualsalesmil` decimal(16,2) DEFAULT NULL,
104 `costofgoodssoldmil` decimal(16,2) DEFAULT NULL,
105 `ebitdamil` decimal(16,2) DEFAULT NULL,
106 `ebitmil` decimal(16,2) DEFAULT NULL,
107 `pretaxincomemil` decimal(16,2) DEFAULT NULL,
108 `netincomemil` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci DEFAULT NULL,
109 `cashflowmil` decimal(16,2) DEFAULT NULL,
110 `netincomegrowthf0f1` decimal(16,2) DEFAULT NULL,
111 `12monetincomecurrentlast` decimal(16,2) DEFAULT NULL,
112 `12monetincomecurrentlqlastlq` varchar(255) CHARACTER SET utf8 COLLATE
utf8_general_ci DEFAULT NULL,
113 `5yrdivyield` decimal(16,2) DEFAULT NULL,
114 `5yrhistdivgrowth` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci DEFAULT
NULL,
115 `dividend` decimal(16,2) DEFAULT NULL,
116 `netmargin` decimal(16,2) DEFAULT NULL,
117 `operatingmargin12mo` decimal(16,2) DEFAULT NULL,
118 `turnover` decimal(16,2) DEFAULT NULL,
119 `inventoryturnover` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci DEFAULT
NULL,
120 `assetutilization` decimal(16,2) DEFAULT NULL,
121 `receivablesmil` decimal(16,2) DEFAULT NULL,

```

```
122 `inventorymil` decimal(16,2) DEFAULT NULL,
123 `intangiblesmil` decimal(16,2) DEFAULT NULL,
124 `currentassetsmil` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci DEFAULT
NULL,
125 `currentliabilitiesmil` decimal(16,2) DEFAULT NULL,
126 `longtermdebtmil` decimal(16,2) DEFAULT NULL,
127 `preferredequitymil` decimal(16,2) DEFAULT NULL,
128 `commonequitymil` decimal(16,2) DEFAULT NULL,
129 `bookvalue` decimal(16,2) DEFAULT NULL,
130 `debttotalcapital` varchar(255) CHARACTER SET utf8 COLLATE utf8_general_ci DEFAULT
NULL,
131 `debtequityratio` decimal(16,2) DEFAULT NULL,
132 `currentratio` decimal(16,2) DEFAULT NULL,
133 `quickratio` decimal(16,2) DEFAULT NULL,
134 `cashratio` decimal(16,2) DEFAULT NULL,
135 `Semana` date DEFAULT NULL,
136 PRIMARY KEY (`wdt_ID`),
137 KEY `FK_usa_ativos_1` (`ticker`),
138 CONSTRAINT `FK_usa_ativos_1` FOREIGN KEY (`ticker`) REFERENCES `usativo` (`ticker_id`)
139 ) ENGINE=InnoDB AUTO_INCREMENT=131341 DEFAULT CHARSET=latin1;
140 /*!40101 SET character_set_client = @saved_cs_client */;
```